gorenje

Gorenje HZF55082 NRS917E41BX G400

Brand : Gorenje

Product code: 20017286

Product name : HZF55082 NRS917E41BX G400

Gorenje HZF55082 NRS917E41BX G400. Appliance placement: Freestanding, Product design: American door, Product colour: Black. Total net capacity: 544 L, Climate class: SN-N, Noise emission class: C. Fridge net capacity: 347 L, Lamp type: LED. Freezer net capacity: 186 L, Freezer position: Side-placed, Freezing capacity: 10 kg/24h. Cord length: 2 m

Design	
Appliance placement *	Freestanding
Product design *	American door
Product colour *	Black
Number of doors *	2 door(s)
Custom panel-ready	✗
Control type	Touch
Built-in display *	✓
Display type	LED
Display placement	On door
Refrigerating medium	R600A
Housing material	Steel
Shelves material	Glass
Number of adjustable shelves	4
Number of compressors	1

Performance	
Total net capacity *	544 L
Climate class *	SN-N
Noise emission class *	C
Noise level *	39 dB
Water dispenser *	✗
Icemaker *	✗
Inverter technology	✓
Minimum operating temperature	10 °C

Freezer	
Freezer net capacity *	186 L
Freezer position *	Side-placed
Freezing capacity *	10 kg/24h
Storage time during power failure *	6 h
Star rating *	4*
No Frost (freezer) *	✓
Automatic defrost (freezer)	✓
No Frost+ (freezer)	✓
Freezer interior light	✓
Freezer number of shelves/baskets *	2
Freezer drawers quantity	2
Freezer door balconies	3
Fast freeze function	✓
Ice cube tray	✓

Convertible zone	
Number of cooling modes	1

Ergonomics	
Door open alarm	✓
Adjustable feet	✓
Cord length	2 m

Performance	
Maximum operating temperature	43 °C

Fridge	
Fridge net capacity *	347 L
No Frost (fridge) *	✔
Automatic defrost (fridge)	✔
No Frost+ (fridge)	✔
Multi-Airflow system (fridge) *	✔
Fridge number of shelves/baskets *	5
Number of vegetable drawers *	2
Fridge door balconies	3
Egg tray	✔
Number of egg trays	2
Door bottle balcony	✔
Super Cool function	✔
Fridge interior light	✔
Lamp type	LED

Power	
Energy efficiency scale	A to G
Energy efficiency class *	E
Connected load	300 W
Annual energy consumption *	317 kWh
Energy efficiency index (EEI)	99.4
Power plug type	Type F
AC input voltage	220-240 V
AC input frequency	50 Hz

Weight & dimensions	
Width *	911 mm
Depth *	615 mm
Height *	1786 mm
Weight *	81 kg

Packaging data	
Package width	975 mm
Package depth	679 mm
Package height	1910 mm
Package weight	91 kg

Technical details	
Compliance certificates	CE, UKCA, GS mark, CB

3838783059932

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 12-APR-2026. Prints or copies of Information are only valid on the printed Publication date