



# DELL Pro Max 16 MC16250 Intel Core Ultra 7 265H Mobile workstation 40.6 cm (16") Full HD+ 32 GB DDR5-SDRAM 1 TB SSD NVIDIA RTX PRO 2000 Blackwell Wi-Fi 7 (802.11be) Windows 11 Pro German Black



Brand : DELL

Product family: Pro

Product code: 9TWPD

Product name : MC16250

DELL Pro Max 16 MC16250. Product type: Mobile workstation, Form factor: Clamshell. Processor family: Intel Core Ultra 7, Processor model: 265H. Display diagonal: 40.6 cm (16"), HD type: Full HD+, Display resolution: 1920 x 1200 pixels. Internal memory: 32 GB, Internal memory type: DDR5-SDRAM. Total storage capacity: 1 TB, Storage media: SSD. On-board graphics card model: Intel Arc 140T, Discrete graphics card model: NVIDIA RTX PRO 2000 Blackwell. Operating system installed: Windows 11 Pro. Product colour: Black

| Design                            |                             | Camera                                            |                                                                                                           |
|-----------------------------------|-----------------------------|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| Colour name                       | Magnetite                   | Front camera resolution (numeric)                 | 2.07 MP                                                                                                   |
| Product type *                    | Mobile workstation          | Front camera resolution                           | 1920 x 1080 pixels                                                                                        |
| Product colour *                  | Black                       | Front camera HD type                              | Full HD                                                                                                   |
| Form factor *                     | Clamshell                   | Video capturing speed                             | 30 fps                                                                                                    |
| Market positioning                | Business                    | Infrared (IR) camera                              | ✓                                                                                                         |
| Intel® vPro™ Platform Eligibility | ✓                           | Privacy camera                                    | ✓                                                                                                         |
| Certified refurbished             | ✗                           | Privacy type                                      | Privacy shutter                                                                                           |
| Display                           |                             | Network                                           |                                                                                                           |
| Display diagonal *                | 40.6 cm (16")               | Top Wi-Fi standard *                              | Wi-Fi 7 (802.11be)                                                                                        |
| Display resolution *              | 1920 x 1200 pixels          | Wi-Fi standards                                   | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be) |
| Touchscreen *                     | ✗                           | Mobile network connection *                       | ✗                                                                                                         |
| HD type                           | Full HD+                    | Wi-Fi band                                        | Tri-band (2.4 GHz / 5 GHz / 6 GHz)                                                                        |
| Panel type                        | WVA                         | Antenna type                                      | 2x2                                                                                                       |
| Native aspect ratio               | 16:10                       | WLAN controller model                             | Intel Wi-Fi 7 BE201                                                                                       |
| Anti-glare screen                 | ✓                           | WLAN controller manufacturer                      | Intel                                                                                                     |
| Display brightness                | 300 cd/m²                   | Ethernet LAN                                      | ✓                                                                                                         |
| Pixel density                     | 142 ppi                     | Ethernet LAN data rates                           | 10,100,1000 Mbit/s                                                                                        |
| RGB colour space                  | NTSC                        | Bluetooth                                         | ✓                                                                                                         |
| Colour gamut                      | 45%                         | Ports & interfaces                                |                                                                                                           |
| Maximum refresh rate              | 60 Hz                       | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 2                                                                                                         |
| Contrast ratio (typical)          | 1000:1                      | Ethernet LAN (RJ-45) ports                        | 1                                                                                                         |
| Processor                         |                             | HDMI ports quantity *                             | 1                                                                                                         |
| Processor manufacturer *          | Intel                       | HDMI version                                      | 2.1                                                                                                       |
| Processor family *                | Intel Core Ultra 7          | Thunderbolt 4 ports quantity                      | 2                                                                                                         |
| Processor generation              | Intel Core Ultra (Series 2) | Intel® Thunderbolt 4                              | ✓                                                                                                         |
| Processor model *                 | 265H                        | Combo headphone/mic port                          | ✓                                                                                                         |
| Processor cores                   | 16                          | USB Type-C DisplayPort Alternate Mode             | ✓                                                                                                         |
| Processor threads                 | 16                          | PowerShare                                        | ✓                                                                                                         |
| Processor boost frequency         | 5.3 GHz                     |                                                   |                                                                                                           |
| Performance cores                 | 6                           |                                                   |                                                                                                           |
| Efficient cores                   | 8                           |                                                   |                                                                                                           |
| Low Power Efficient-cores         | 2                           |                                                   |                                                                                                           |

| Processor                                    |                                                | Performance                                |                                                            |
|----------------------------------------------|------------------------------------------------|--------------------------------------------|------------------------------------------------------------|
| Performance-core Max Turbo Frequency         | 5.3 GHz                                        | Motherboard chipset                        | Intel SoC                                                  |
| Efficient-core Max Turbo Frequency           | 4.5 GHz                                        | Accelerometer                              | ✓                                                          |
| Low Power Efficient-core Max Turbo Frequency | 2.5 GHz                                        | Hall sensor                                | ✓                                                          |
| Neural processor unit (NPU)                  |                                                | Keyboard                                   |                                                            |
| Performance-core base frequency              | 2.2 GHz                                        | Pointing device                            | Touchpad                                                   |
| Efficient-core base frequency                | 1.7 GHz                                        | Numeric keypad *                           | ✓                                                          |
| Low Power Efficient-core Base Frequency      | 700 MHz                                        | Keyboard backlit                           | ✓                                                          |
| Processor cache                              | 24 MB                                          | Keyboard language                          | German                                                     |
| Processor base power                         | 28 W                                           | Copilot key                                | ✓                                                          |
| Maximum turbo power                          | 115 W                                          | Software                                   |                                                            |
| Memory                                       |                                                | Operating system architecture              | 64-bit                                                     |
| Neural processor unit (NPU)                  | Intel AI Boost                                 | Trial software                             | Activate Your Microsoft 365 For A 30 Day Trial             |
| Sparsity support                             | ✓                                              | Operating system installed *               | Windows 11 Pro                                             |
| Windows Studio effects support               | ✓                                              | Brand-specific features                    |                                                            |
| AI software frameworks supported by NPU      | DirectML, OpenVINO, Windows ML, ONNX RT, WebNN | Brand specific technologies                | Express Charge Boost capable, Control Vault 3+, HDR Camera |
| Total processor performance up to            | 97 TOPs                                        | Battery                                    |                                                            |
| NPU performance up to                        | 13 TOPs                                        | Battery technology                         | Lithium Polymer (LiPo)                                     |
| GPU performance up to                        | 75 TOPs                                        | Number of battery cells                    | 6                                                          |
| Storage                                      |                                                | Battery capacity *                         | 96 Wh                                                      |
| Internal memory *                            | 32 GB                                          | Battery voltage                            | 11.7 V                                                     |
| Internal memory type                         | DDR5-SDRAM                                     | Battery recharge time                      | 3 h                                                        |
| Memory form factor                           | SO-DIMM                                        | Fast charging                              | ✓                                                          |
| Memory layout (slots x size)                 | 2 x 16 GB                                      | Battery weight                             | 351 g                                                      |
| Memory slots                                 | 2x SO-DIMM                                     | Power                                      |                                                            |
| Maximum internal memory *                    | 64 GB                                          | USB Type-C charging port *                 | ✓                                                          |
| Memory channels                              | Dual-channel                                   | USB Type-C required charging power (min) * | 45 W                                                       |
| Memory data transfer rate                    | 5600 MT/s                                      | USB Type-C required charging power (max) * | 130 W                                                      |
| Non-ECC                                      | ✓                                              | USB Power Delivery (USB PD)                | ✓                                                          |
| Graphics                                     |                                                | USB charging voltage                       | 20,5 V                                                     |
| Discrete GPU manufacturer                    | NVIDIA                                         | Security                                   |                                                            |
| Discrete graphics card model *               | NVIDIA RTX PRO 2000 Blackwell                  | Cable lock slot                            | ✓                                                          |
| Discrete graphics card memory                | 8 GB                                           | Cable lock slot type                       | Wedge                                                      |
| Discrete graphics memory type                | GDDR7                                          | Fingerprint reader                         | ✓                                                          |
| On-board graphics card *                     | ✓                                              | Smart card reader                          | ✓                                                          |
| On-board GPU manufacturer                    | Intel                                          | Trusted Platform Module (TPM)              | ✓                                                          |
| Discrete graphics card *                     | ✓                                              | Trusted Platform Module (TPM) version      | 2.0                                                        |
| On-board graphics card family                | Intel Arc Graphics                             | Operational conditions                     |                                                            |
| On-board graphics card model *               | Intel Arc 140T                                 | Operating temperature (T-T)                | 0 - 35 °C                                                  |
|                                              |                                                | Storage temperature (T-T)                  | -40 - 65 °C                                                |
|                                              |                                                | Operating relative humidity (H-H)          | 10 - 90%                                                   |
|                                              |                                                | Storage relative humidity (H-H)            | 0 - 95%                                                    |
|                                              |                                                | Operating altitude                         | -15.2 - 3048 m                                             |
|                                              |                                                | Non-operating altitude                     | -15.2 - 10668 m                                            |
|                                              |                                                | Operating shock                            | 110 G                                                      |
|                                              |                                                | Non-operating shock                        | 160 G                                                      |
|                                              |                                                | Operating vibration                        | 0.66 G                                                     |
|                                              |                                                | Non-operating vibration                    | 1.3 G                                                      |
|                                              |                                                | Sustainability                             |                                                            |
|                                              |                                                | Sustainability certificates                | ENERGY STAR, EPEAT Gold                                    |
|                                              |                                                | Weight & dimensions                        |                                                            |
|                                              |                                                | Width                                      | 358 mm                                                     |

| Audio                       |                 | Weight & dimensions                          |                      |
|-----------------------------|-----------------|----------------------------------------------|----------------------|
| Audio chip                  | Realtek ALC3329 | Depth                                        | 256 mm               |
| Audio system                | MaxxAudio Pro   | Height (front)                               | 1.51 cm              |
| Number of built-in speakers | 2               | Height (rear)                                | 1.91 cm              |
| Speakers manufacturer       | Waves           | Weight *                                     | 2.1 kg               |
| Speaker power               | 2.5 W           | Carbon footprint                             |                      |
| Built-in microphone         | ✓               | Total carbon footprint (kg of CO2e)          | 118                  |
| Number of microphones       | 2               | Carbon emissions, manufacturing (kg of CO2e) | 85.196               |
| Camera                      |                 | Carbon emissions, logistics (kg of CO2e)     | 6.136                |
| Front camera                | ✓               | Carbon emissions, energy usage (kg of CO2e)  | 25.488               |
|                             |                 | Carbon emissions, end-of-life (kg of CO2e)   | 1.298                |
|                             |                 | PAIA version                                 | GaBi version 1, 2024 |
|                             |                 | Packaging content                            |                      |
|                             |                 | AC adapter included *                        | ✗                    |



5397184985922

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.